

References Cited in the Lectures

Agarwal, A. & Kedar, S. (2015). Prognosis and treatment of visual field defects. *Seminars in Neurology*, 35(5), 549-556, doi: 10.1055/s-0035-1563573

Alvarez, T.L., Kim, E.H., Vicci, V.R., Dhar, S.K., Biswal, B.B., ...Barrett, A.M. (2012). Concurrent vision dysfunctions in convergence insufficiency with traumatic brain injury. *Optometry & Vision Science*, 89(12). doi:10.1097/OPX.0b013e3182772dce.

Andreas, M., Marnette, S., Coyette, F., Bonator, M., Priftis, K, Masson, N. (2019). Increased cognitive load reveals unilateral and atitudinal extinction in chronic stroke, *Journal International Neuropsychological Society*, 25(6), doi: 10.1017/S1355617719000249.

American Occupational Therapy Association: Occupational therapy practice framework: domain and process, ed 4. (2020). *American Journal of Occupational Therapy* (Suppl. 2): S1-87

Aparicio-López, C., García-Molina, A. García-Fernández, Lopez-Blazquez, Enseñat-Cantalops, A. Sánchez-Carrión, Vega Muriel, R., Tormos. J.M., Roig-Rovira, T. (2015). Cognitive rehabilitation with right hemifield eye patching for patients with sub-acute stroke and visuo-spatial neglect: A randomized controlled trial, *Brain Injury*, 29(4), 501-507, DOI: 10.3109/02699052.2014.995230

Armstrong, R.A., (2018). Visual problems associated with traumatic brain injury, *Clinical & Experimental Optometry*, 101, 716-726, DOI: 10.1111/cxo.12670

Astafiev, S.V., Zinn, K. L. Shulman, G. L. Corbetta, M. (2016). Exploring the physiological correlates of chronic mild traumatic brain injury symptoms *NeuroImage: Clinical* 11, 10-19.

Azouvi, P., Olivier, S., de Montety, G., Samuel, C, Louis-dreyfus, A., Tesio, L. (2003). Behavioral assessment of unilateral neglect: Study of the psychometric properties of the Catherine Bergego scale. *Archives of Physical Medicine & Rehabilitation*, 84, 51-57.

Azouvi, P., Jacquin-Courtois, S., Luaute, J., (2017). Rehabilitation of unilateral neglect: Evidence-based medicine, *Annals of Physical & Rehabilitation Medicine*, 60, 191-197. <http://dx.doi.org/10.1016/j.rehab.2016.10.006>

Barrett, L.F. (2017). *How emotions are made: The secret life of the brain*, Boston: Houghton, Mifflin, Harcourt, ISBN: 978132895436

Barton, J., J., S. & Ranalli, P.J. (2021). Vision therapy: Occlusion, prisms, filters and vestibular exercises for mild traumatic brain injury. *Survey Ophthalmology*, 66, 346-353. <https://doi.org/10.1016/j.survophthal.2020.08.001>

Beis, J.M., Andre, J.M., Baumgarten, A, Challier B. (1999). Eye patching in unilateral spatial neglect: efficacy of two methods. *Arch Phys Med Rehabil*, 80, 71-76.

Berger, S., Kaldenberg, J., Selmane, R., Carlo, S. (2016). Effectiveness of interventions to address visual and visual-perceptual impairments to improve occupational performance in adults with traumatic brain injury: A systematic review. *American Journal of Occupational Therapy*, 70(3) 7003180010. <https://doi.org/10.5014/ajot.2016.020875>

Berger, M.F., Proz, R.D., Ilg, U., & Karnath, H-O. (2006). Deviation of eyes and head in acute cerebral stroke. *BMC Neurology*. Retrieved from: <http://www.biomedcentral.com/1471-2377/6/23>.

Berthold-Lindstedt, M., Johansson, J., Ygge, J., Borg, K., (2019). Vision-related symptoms after acquired brain injury and the association with mental fatigue, anxiety and depression. *Journal of Rehabilitation Medicine*, 51, 499-505, doi: 10.2340/16501977-2570.

References Cited in the Lectures

Berthold-Lindstedt, M., Ygge, J., & Borg, K. (2017). Visual dysfunction is underestimated in patients with acquired brain injury. *Journal Rehabilitation Medicine*, *49*, 327-332. DOI: 10.2340/16501977-2218 (open access)

Bertone, A., Bettinelli, L., Faubert, J. (2007). The impact of blurred vision on cognitive assessment. *Journal Clinical & Experimental Neuropsychology*. *29* (5), 467-476. DOI: 10.1080/13803390600770793

Blackwell, C., Cary, K., Holst, K., Mandle, K., Dryg, L., Clemens, S., . . . Kelly, R. (2020). Brief Report—Dynavision normative data for healthy adults: Reaction test program. *American Journal of Occupational Therapy*, *74*, 7401185060. <https://doi.org/10.5014/ajot.2020.036251>

Blaylock, S.E., Warren, M., Yuen, H.K., DeCarlo, D.K. (2016). Validation of a reading assessment for persons with homonymous hemianopia or quadrantanopia. *Archives Physical Medicine & Rehabil*, *97*(9), 1515-1519.

Blini, E., Romeo, Z., Spironella, C., Pitteri, M., Meneghello, F., Bonato M., Zorzi, M. (2016). Multi-tasking uncovers right spatial neglect and extinction in chronic left-hemisphere stroke patients, *Neuropsychologia*, *92*, 147-157. <http://dx.doi.org/10.1016/j.neuropsychologia.2016.02.028>

Bodak, R., Malhotra, P. Bernardi, N.F., Cocchini, G & Stewart, L. (2014). Reducing chronic visuo-spatial neglect following right hemisphere stroke through instrument playing. *Frontiers in Human Neuroscience* *8*(413), e1-7.

Bonato, M. & Cutini, S. (2016). Increased attentional load moves the left to the right. *Journal of Clinical & Experimental Neuropsychiatry*, *38*(2), 158-170. doi.org/10.1080/13803395.2015.1091065

Bonato, M. (2012). Neglect and extinction depend greatly on task demands: A review. *Frontiers in Human Neuroscience*, *6*(195) 1-13 [doi: 10.3389/fnhum.2012.00195](https://doi.org/10.3389/fnhum.2012.00195)

Bourgeois, A., Saj, A. Vuilleumier, P. (2018). Value-driven attentional capture in neglect, *Cortex*, *109*, 260-271. doi.org/10.1016/j.cortex.2018.09.015

Bowers, A. (2016). Driving with homonymous visual field loss: a review of the literature, *Clinical & Experimental Optometry*, *99*(5), 402-418 [doi:10.1111/cxo.12425](https://doi.org/10.1111/cxo.12425)

Brabyn, J., Schneck, M., Haegerstrom-Portnoy, G., & Lott, L. (2001). The Smith-Kettlewell Institute (SKI) longitudinal study of vision function and its impact among the elderly: an overview. *Optometry & Vis Science*, *78*(5), 264-269.

Brahm, K.D., Wilgenburg, H.M., Kirby, J., Ingalla, S., Change, C-Y, Goodrich, G.L. (2009). Visual impairment and dysfunction in combat-injured service members with traumatic brain injury. *Opt & Vision Sci*, *86*(7), 817-825.

Brooks, J., Seeanner, J., Hennessy, S., Manganelli, J., Crisler, M., Rosopa, P. ...Tanner, S. (2017). Brief Report- Interactive tools for measuring visual scanning performance and reaction time. *American Journal of Occupational Therapy*, *71*, 7102350010p1-6. <https://doi.org/10.5014/ajot2017020461>

Bruce, B.B., Zhang, X., Kedar, S., Newman, N.J. & Biousse, V. (2006). Traumatic homonymous hemianopia. *Journal of Neurology, Neurosurgery & Psychiatry*, *77*, 986-988.

Callahan, M.L. & Lim, M.M. (2018). Sensory sensitivity in tbi: Implications for chronic disability, *Current Neurology & Neuroscience Reports*, *18*(56). <https://doi.org/10.1007/s11910-018-0867-x>

Cantu, R. & Hyman, M. (2012). *Concussions and our kids*. Boston: Harper Books.

Cassidy, T.P., Lewis, S. & Gray, C.S. (1998). Recovery from visual spatial neglect in stroke patients. *Journal*

References Cited in the Lectures

Neurology, Neurosurgery & Psychiatry, 64, 555–557.

Celebisoy, M., Celebisoy, N., Bayam, E., Kose, T. (2011). Recovery of visual-field defects after occipital lobe infarction: a perimetric study, *Journal of Neurology, Neurosurgery & Psychiatry*, 82, 695-702, doi:10.1136/jnnp.2010.214387

Carey, D.P. (2001). Vision research: Losing sight of eye dominance, *Current Biology*, R828-R830

Champod, A.S., Frank, R.C., Taylor, K., Eskes, G.A. (2018). The effects of prism adaptation on daily life activities in patients with visuospatial neglect: a systematic review. *Neuropsychological Rehabilitation*, 28(4), 491-514. doi:10.1080/09602011.2016.1182032

Chau, E., Nishi, A., Kristalovich, L., Holowaychuk, A. Mortenson, W.B. (2021). Establishing the predictive validity of the ScanCourse for assessing on-road driving performance. *American Journal of Occupational Therapy*, 75, 7501205120. <https://doi.org/10.5014/ajot.2021.041608>

Chen, M-C, Tsai, P-L, Huange, Y-T, Lin, K-C. (2013). Pleasant music improves visual attention in patients with unilateral neglect after stroke. *Brain Injury*, 27(1), 75-82. DOI: 10.3109/02699052.2012.722255

Chokron, S., Perez, C., & Peyrin, C. (2016). Behavioral consequences and cortical reorganization in homonymous hemianopia. *Frontiers in Systems Neuroscience*, 10(57), doi:10.3389/fnsys.2016.00057

Cicerone, K.D., Goldin, Y., Ganci, K., Rosenbaum, A., Wethe, J.V., Langenbahn, D.M....Harley, J.P. (2019). Evidence-based cognitive rehabilitation: Systematic review of the literature from 2009 through 2014. *Archives of Physical Medicine & Rehabilitation*. 100(8):1515-1533. doi:10.1016/j.apmr.2019.02.011

Ciuffreda, K.J., Tannen, B., Singman, E.L, Esther Han, M., H. (2021). Evaluation and treatment of Visual dysfunction. In N.D. Zasler, D.I. Katz, R.D. Zafonte, (eds.) *Brain Injury Medicine: Principles and Practice* 3rd ed. New York City: Springer Publishing 10.1891/9780826143051

Ciuffreda, K.J., Kapoor, N., Rutner, D., Suchoff, I.R., Han, M.E., & Craig, S. (2007). Occurrence of oculomotor dysfunctions in acquired brain injury: A retrospective analysis. *Optometry*, 78, 155-161.

Clark, J., Hasselfeld, K., Bigsby, K., Divine, J. (2017). Colored glasses to mitigate photophobia symptoms posttraumatic brain injury, *Journal Athletic Training*, 53(8), 725-729. doi: 10.4085/1062-6050-52.4.04

Costela, F.M., Sheldon, S.S., Walker, B., Woods, R.L. (2018). People with hemianopia report difficulty with TV, computer, cinema use and photography, *Optometry & Vision Science*, 95, 428-434, doi:10.1097/OPX.0000000000001215

de Haan, G.A., Heutink, J., Melis-Dankers, B.J.M., Brouwer, W.H., Tucha, O. (2015). Difficulties in daily life reported by patients with homonymous visual field defects, *Journal Neuro-Ophthalmology*, 35, 259-264, doi: 10.1097/WNO.0000000000000244

Dawson, D.R., Gaya, A., Hunt, A., Levine, B., Lemsky, C., Poltatajko, H.J. (2009). Using the cognitive orientation to occupational performance (CO-OP) with adults with executive dysfunction following traumatic brain injury. *Canadian Journal of Occupational Therapy*, 72(2), 115-127.

Dawson, D.R., Binns, M.A., Hunt, A., Lemsky, C, Polatajko, H.J. (2013). Occupation-based strategy training for adults with traumatic brain injury: A pilot study, *Archives of Physical Medicine & Rehabilitation*, 94, 1959-1963. <http://dx.doi.org/10.1016/j.apmr.2013.05.021>

References Cited in the Lectures

DeWit, L., Ten Brink, A.F., Visser-Meily, J.M.A. Nijboer, T.C.W. (2018). Does prism adaptation affect visual search in spatial neglect patients: A systematic review, *Journal of Neuropsychology*, 12, 53-77, DOI:10.1111/jnp.12100

Dahmi, P. Moreno, S., & DeSouze, J.F.X. (2015). New framework for rehabilitation-fusion of cognitive and physical rehabilitation: the hope for dancing (review article). *Frontiers in Psychology* [electronic journal], 5 article 1479, 1-15, doi: 10.3389/fpsyg.2014.01478

Dieterich, M., & Brandt, T. (2019). Perception of verticality and vestibular disorders of balance and falls, *Frontiers in Neurology*, 10(172) doi: 10.3389/fneur.2019.00172

Digre, K.B. & Brennan, K.C. (2012). Shedding light on photophobia. *Journal of Neuroophthalmology*, 32(1) 68-81. doi:10.1097/WNO.0b013e3182474548.

Diller, L., & Weinberg, J. (1970). Evidence for accident prone behavior in hemiplegic patients. *Archives Physical Medicine & Rehabilitation*, 51,358-363.

Diller, L., & Weinberg, J. (1972). Differential aspects of attention in brain damaged persons, *Perceptual & Motor Skills*, 35, 71-81.

Doble, J.E., Feinberg, D.L., Rosner, M.S. Ronser, A.J. (2010) Identification of binocular vision dysfunction (vertical heterophoria) in traumatic brain injury patients and effects of individualized prismatic spectacle lenses in the treatment of postconcussion symptoms: A retrospective analysis. *PM&R* 2(4),244-253.

Doidge, N. (2015). *The brain's way of healing: Remarkable discoveries and recoveries from the frontiers of neuroplasticity*. New York: Viking Press.

Dos Santos, N. & Andrade, S.E. (2012). Visual contrast sensitivity in patients with impairment of functional independence after stroke. *BMC Neurology*, 12(90). <http://www.biomedcentral.com/1471-2377/12/90>

Dowling, J.E. (2018). *Understanding the brain: From cells to behavior to cognition*. New York: W.W. Norton and Company.

Eckstein, M.P. (2011). Visual search: A retrospective, *Journal of Vision*, 11(5), 1-36 doi:10.1167/11.5.14.

Feaster, H.T., & Bruce, J.M.(2011). Visual acuity is associated with performance on visual and non-visual neuropsychological tests in multiple sclerosis. *The Clinical Neuropsychologist* 25(4), 640-651DOI: 10.1080/13854046.2011.565075

Fimreite, V., Willeford, K.T., Ciuffreda, K.J. (2016). Effect of chromatic filters in visual performance in individuals with mild traumatic brain injury (mTBI): A pilot study. *Journal of Optometry*, 9, 231-239.

Gammeri, R., Iacono, C., Ricci, R. Salatino A. (2020). Unilateral spatial neglect after stroke Current insights, *Neuropsychiatric Disease & Treatment*, 16, 131-152.

Gilbert, C.D. (2013). Intermediate-level visual processing and visual primitives In Kandel ER, Schwartz JH, Jessell TM, Seiglebaum SA, Hudspeth AJ, editors: *Principles of neural science*, ed 5, New York, 2013, McGraw-Hill.

Gilbert, C.D. (2013). The constructive nature of visual processing, In Kandel ER, Schwartz JH, Jessell TM, Seiglebaum SA, Hudspeth AJ, editors: *Principles of neural science*, ed 5, New York, McGraw-Hill.

References Cited in the Lectures

- Gillen, G., Nilsen, D.M., Attridge, J., Banakas, E., Morgan, M., Winterbottom, L., York, W. (2014). Effectiveness of interventions to improve occupational performance of people with cognitive impairments after stroke: An evidence-based review. *American Journal of Occupational Therapy*, 9(1) <https://doi.org/10.5014/ajot.2015.012138>
- Goldberg, E. (2009). *The new executive brain: Frontal lobes in a complex world*. New York: Oxford University Press
- Gould, K.E., Ponsford, J.L., Johnston, L. Schonberger, M. (2011). The nature, frequency and course of psychiatric disorders in the first year after traumatic brain injury: A prospective study. *Psychological Medicine*, 41, 2099-2109.
- Green, M., Barstow, B. & Vogtle, L. (2018). Lighting as a compensatory strategy for acquired visual deficits after stroke: Two case reports, *American Journal of Occupational Therapy*, 72, 7202210010p1-7202210010p6. doi:10.5014/ajot.2018.023382
- Green, W., Ciuffreda, K.J., Thiagarajan, P., Szymanowicz, D., Ludlam, D.P., Kapoor, N. (2010). Static and dynamic aspects of accommodation in mild traumatic brain injury: a review. *Optometry*, 81, 129-136.
- Greenwald, B.D., Kapoor, N. Singh, A.D. (2012). Vision impairment in the first year after traumatic brain injury, *Brain Injury* 26(11), 1338-1359. DOI: 10.3109/02699052.2012.706356
- Hawkins, J., Ahmad, S., & Cui, Y. (2017). A theory of how columns in the neocortex enable learning the structure of the world. *Frontiers in Neural Circuits*, 11(81), <https://doi.org/10.3389/fncir.2017.00081>
- Hawkins, J. & Ahmad, S. (2016). Why neurons have thousands of synapses, a theory of sequence memory in neocortex, *Frontiers in Neural Circuits*, 10(23) <https://doi.org/10.3389/fncir.2016.00023>
- Hayes, A.S., Chen, C.S., Clarke, G., Thompson, A. (2012). Functional improvements following the use of the NVT vision rehabilitation program for patients with hemianopia following stroke, *NeuroRehabilitation*, 31, 19-30 DOI 10.3233/NRE-2012-0771
- Hazelton, C., Pollock, A., Taylor, A., Davis, B., Walsh, G., Brady, M.C. (2019). A qualitative exploration of the effect of visual field loss on daily life in home-dwelling stroke survivors, *Clinical Rehabilitation*, 33(7), 1264-1273 doi:10.1177/0269215519837580
- Hegde, S. (2014). Music-based cognitive remediation therapy for patients with traumatic brain injury. *Frontiers in Neurology*, 5(34) e1-7.
- Houston, K.E. & Barrett, A.M. (2016). Patching for diplopia contraindicated in patients with brain injury? *Optometry & Vision Science*, 94(1), electronic version.
- Hunt, A.W., Panizza, M., Mah, K., Reed, N. (2019). Feasibility and effects of the CO-OP approach in postconcussion rehabilitation. *American Journal of Occupational Therapy*, 73(1), 1-10, <https://doi.org/10.5014/ajot.2019.027995>
- Hunt, L.A. & Bassi, C.J. (2010). Near-vision acuity levels and performance on neuropsychological assessments used in occupational therapy. *American Journal of Occupational Therapy*, 64, 105-113.
- Husain, M. & Kennard, C. (1997). Distractor-dependent frontal neglect. *Neuropsychologia*, 35, 829-841.
- Jackson, G.R., & Owsley, C. (2003). Visual function, neurodegenerative diseases and aging, *Neurology Clinics of North America*, 21, 709-728. doi:10.1016/S0733-8619(02)00107-X

References Cited in the Lectures

- Kapoor, N. & Ciuffreda, K.J. (2002). Vision disturbances following traumatic brain injury, *Current Treatment Options in Neurology*, 4, 277-280
- Karnath, H-O, Rennig, J., Johannsen, L., Rorden, C. (2011). The anatomy underlying acute versus chronic spatial neglect: a longitudinal study. *Brain*, 134,903-912, doi:10.1093/brain/awq355.
- Kasneji, E., Sippel, K., Heister, M., Aehling, K., Rosenstiel, W., Scheifer, U., Papageorgious, G. (2014). Homonymous visual field loss and its impact on visual exploration: A supermarket study. *Translational Visual Science & Technology*, 3(6) article 2, 1-10. DOI: 10.1167/tvst.3.6.2
- Katz, D.I., Cohen, S.I. & Alexander, M.P. (2015). Mild traumatic brain injury (chapter 4), *Handbook of Clinical Neurology*, 127 (3rd series), 131-156.
- Kedar, S., Zhang, X., Lynn, M.J., Newman, N.J. & Biousse, V. (2006). Pediatric homonymous hemianopia. *Journal American Association Pediatric Ophthalmology & Strabismus*, 10, 249-252.
- Kerkhoff, G. & Schenk, T. (2012). Rehabilitation of neglect: An update. *Neuropsychologia*, 50, 1072-1079.
- Klinke, M.E. Zahavi, D. Hjaltason, H. Thorsteinsson B. Jonsdottir, H. (2015). "Getting the left right:" The experience of hemispacial neglect after stroke, *Qualitative Health Research*, 1-14.
- Kortman B. & Nicholls K. (2016). Assessing for unilateral spatial neglect using eye-tracking glasses: a feasibility study, *Occupational Therapy in Health Care* 30, 344-355.
- Krishnan, V., Cho, Y-H, Mohamed, O. (2017). Role of impaired vision during dual-task walking in young and older adults, *Gait & Posture*, 57,136-140, doi: 10.1016/j.gaitpost.2017.06.006
- Land, M. F. (2006). Eye movements and the control of actions in everyday life. *Prog Retin Eye Res*, 25, 296-324.
- Laukkanen, H., Scheiman, M., Hayes, J.R. (2017). Brain injury vision symptom survey (BIVSS) questionnaire, *Optometry & Vision Science*, 94(1), 43-50.
- Leat, S.J., Zecevic, A.A., Keeling, A., Hileeto, D., Labreche, T., Brymer, C. (2018). Prevalence of vision loss among hospital in-patients; A risk factor for falls? *Ophthalmic & Physiological Optics*, 38, 106-114
<https://doi.org/10.1111/opo.12428>
- Leigh, R.J. & Zee, D.S. (2006). *Neurology of Eye Movements*, (4th edition). New York: University Oxford Press.
- Lotery, A.J., Wiggam, M.I., Jackson, J., Silvestri, G., Refson, K. Fullerton, K.J., et al. (2000). Correctable visual impairment in stroke rehabilitation patients. *Age & Ageing*, 29, 221-222.
- Lott L., Schneck, M.E., Haegerstrom-Portnoy, G., Brabyn, J.A., Gildengorin, G.L., West, C.G. (2001). Reading performance in older adults with good acuity, *Optometry & Vision Science*, 78, 316-324.
- Lucas, S. (2011). Headache management in concussion and mild traumatic brain injury. *PM R*, 3, S406-412. DOI: 10.1016/j.pmrj.2011.07.016
- Lund, P., Moir, C., Kristalovich, L. & Mortenson, W. B. (2020). Evaluating the measurement properties of the ScanCourse, a dual-task assessment of visual scanning. *American Journal of Occupational Therapy*, 74, 7401185040. <https://doi.org/10.5014/ajot.2020.032052>

References Cited in the Lectures

- Luukkainen-Markkula, R., Tarkka, I.M., Pitkanen, K. Sivenisu, J., Hamalainen, H. (2011). Comparison of the behavioural inattention test and the catherine bergego scale in assessment of hemispatial neglect *Neuropsychological Rehabilitation*, 21(1), 103-116. DOI:10.1080/09602011.2010.531619
- Machner, B., Sprenger, A., Sander, T., Heide, W., Kimmig, H., et al. (2009). Visual search disorders in acute and chronic homonymous hemianopia: lesion effects and adaptive strategies. *Ann NY Acad Sci*, 1164, 419-426.
- Magone, M.T., Kwon, E., Shin, S. Y. (2014). Chronic visual dysfunction after blast-induced mild traumatic brain injury. *Journal Rehabilitation Research & Development* 51(1), 71-80.
- Mannan, S.K., Mort, D.J., Hodgson, T.L., Driver, J., Kennard, C., Husain, M. (2005). Revisiting previously searched locations in visual neglect: Role of right parietal and frontal lesions in misjudging old locations as new, *Journal of Cognitive Neuroscience*, 17, 340-354.
- Marques, C.L.S., de Souza, J.T., Gonçalves, M.G., et al. (2019). Validation of the catherine bergego scale in patients with unilateral spatial neglect after stroke. *Dementia Neuropsychology*, 13(1):82-88. doi:10.1590/1980-57642018dn13-010009
- Medina, J. J.. (2008). *Brain Rules*. Seattle WA: Pear Press.
- Mennem, T. A., Warren, M. & Yuen, H.K. (2012). Preliminary validation of a vision-dependent activities of daily living instrument on adults with homonymous hemianopia. *American J Occupational Therapy*, 64(4) 478-482.
- Merezhinskaya, N., Mallia, R.K., Park, D., Bryden, D.W., Mathur, K. (2019). Visual deficits and dysfunctions associated with traumatic brain injury: A systematic review and meta-analysis, *Optometry & Vision Science*, 96, 542-555. doi:10.1097/OPX.0000000000001407
- Nurmi, L., Ruuskanen, E.I., Nurmi, M., et al. (2018). Occurrence and recovery of different neglect-related symptoms in right hemisphere infarct patients during a 1-year follow-up. *Journal of the International Neuropsychological Society*, 24(6), 617-628. doi:10.1017/S1355617718000176
- Olgati, E., Russell, C., Soto, D., Malhotra, P. (2016). Motivation and attention following hemispheric stroke, *Progress in Brain Research*, 229, <https://doi.org/10.1016/bs.pbr.2016.06.011>
- Ong, Y-H, Brown, M.M., Robinson, P., Plant, G.T., Husain, M., Leff, A.P. (2012). Read-right: a “web app” that improves reading speeds in patients with hemianopsia. *Journal of Neurology*, 259, 2611-2615.
- Ouelett, M-C, & Morin, C.M. (2007). Efficacy of cognitive-behavioral therapy for insomnia associated with traumatic brain injury: A single-case experimental design. *Archives of Physical Medicine & Rehabilitation*, 88, 1581-1592. DOI: [10.1016/j.apmr.2007.09.006](https://doi.org/10.1016/j.apmr.2007.09.006)
- Ponsford, J.L., Ziino, C., Parcell, D.L., Shekleton, J.A. Roper, M, Redman, J.R...Rajaratnam, S.M.W. (2012). Fatigue and sleep disturbance following traumatic brain injury-Their nature, causes and potential treatment. *Journal of Head Trauma Rehabilitation*, 27 (3), 224-233. doi: 10.1097/HTR.0b013e31824ee1a8.
- Priftis, K., Passarini, L. Pilosio, C., Meneghello, F.,Pitteri, M. (2013). Visual scanning training, limb activation treatment and prism adaptation for rehabilitating left neglect: who is the winner? *Frontiers in Human Neuroscience*, 7(360). 1-11. doi: 10.3389/fnhum.2013.00360
- Rayner, K. (1998). Eye movements in reading and information processing: 20 years of research. *Psychological Bulletin*, 124 (3), 371-422.

References Cited in the Lectures

Ricci, R., Salatino, A., Garbarini, F., Ronga, I., Genero, R., Bertis, A., Neppi-Modona, M. (2016). Effects of attentional and cognitive variables on unilateral neglect. *Neuropsychologia*, 92, 158-166.

Robertson, L.H., (2001). Do we need the "lateral" in unilateral neglect? Spatially nonselective attention deficits in unilateral neglect and their implications for rehabilitation. *Neuroimage*, 14, S85-S90.

Roizen, N. et al. (2006). Impact of visual impairment on measure of cognitive function for children with congenital toxoplasmosis: Implications for compensatory intervention strategies. *Pediatrics*, 118(2), e379-390. doi:10.1542/peds.2005-1530

Rodes, G., Klos, T. Courtois-Jacquim, S., Rossetti, Y, Pisella, L.(2006).Neglect and prism adaptation: A new therapeutic tool for spatial cognition disorders. *Restorative Neurology & Neuroscience*, 24, 347-356.

Rowe, F.J. Wright, D., Brand, D., Jackson, C. Harrison, S., Maan, T....Freeman, C. (2013). A prospective profile of visual field loss following stroke: Prevalence, type rehabilitation and outcome. *BioMed Research International*, 2013, e1-e12. <http://dx.doi.org/10.1155/2013/719096>

Rowe, F., & the VIS writing Group (2017). Vision in stroke cohort: Profile overview of visual impairment, *Brain & Behavior*, DOI: 10.1002/brb3.771

Schuett, S., Kentridge, R. W., Zihl, J., & Heywood, C. A. (2009). Are hemianopic reading and visual exploration impairments visually elicited? New insights from eye movements in simulated hemianopia. *Neuropsychologia*, 47(3), 733-746.

Shepherd, D., Landon, J., Kalloor, M. et al. (2020). The association between health-related quality of life and noise or light sensitivity in survivors of a mild traumatic brain injury. *Quality of Life Research*, 29(3),665-672. doi:10.1007/s11136-019-02346-y.

Smania, N., Fonte, C., Picelli, A., Gandolfi, M., Varalta, V. (2013). Effect of eye patching in rehabilitation of hemispatial neglect. *Frontiers in Human Neuroscience*. 7, article 527, 1-10

Spaccavento, S., Cellamare, F., Cafforio, E., Loveree, A., Craca, A. (2016). Efficacy of visual-scanning training and prism adaptation for neglect rehabilitation, *Applied Neuropsychology: Adult*, 23(5), 313-321. <http://dx.doi.org/10.1080/23279095.2015.1038386>

Stephenson, S., Anderson-Tome, A., Fischer, S. Guzman, A., Meredith, C., Somers, C. (2019). Pilot study: using the Bioness Integrated Therapy System (BITS) to examine the correlation between skills and success with on-the-road driving evaluations. *American Journal of Occupational Therapy* 73(4 Suppl 1) :7311515280. <https://doi.org/10.5014/ajot.2019.73S1-PO4054>

Tant, M.L.M., Cornelissen, F.W., Kooijman, A.C., & Brouwer, W.H. (2002). Hemianopic visual field defects elicit hemianopic scanning. *Vision Research*, 42, 1339-1348.

Tham, K. & Kielhofner, G. (2003). Impact of the social environment on occupational experience and performance among persons with unilateral neglect. *American Journal Occupational Therapy*, 57, 403-412.

Tham, K., Borell, L., & Gustavsson A. (2000). The discovery of disability: A phenomenological study of unilateral neglect. *American Journal Occupational Therapy*, 54, 398-406.

Tham, K., Ginsburg, E., Fisher, A.G., & Tegner, R. (2001). Training to improve awareness of disabilities in clients with unilateral neglect. *American Journal Occupational Therapy*, 55, 46-54.

References Cited in the Lectures

Ting, D.A.J., Pollock, A., Dutton, G.N., Doulal, F.N. Ting, D.S.W...Dhillon, B. (2011). Visual neglect following stroke: Current concepts and future focus. *Survey of Ophthalmology*, 56(2), 114-134.

Trobe, J.D. et al (1981). Confrontation visual field techniques in the detection of anterior visual pathway lesions. *Annals Neurology*, 10, 28-34.

Tsang, M. H., M., Sze, K.H., Fong, N.K. (2009). Occupational therapy treatment with right half-field eye-patching for patients with subacute stroke and unilateral neglect: A randomized controlled trial. *Disability & Rehabilitation*, 31(8), 630-637. Doi: 10.1080/096380802240621

Vallar, G. & Calzolari, E. (2018). Unilateral spatial neglect after posterior parietal damage. *Handbook of Clinical Neurology*, 151, 287-312. doi:10.1016/B978-0-444-63622-5.00014-0

Van Vleet, T.M. DeGutis, J.M. (2013). The nonspatial side of spatial neglect and related approaches to pp 327-343 in *Progress in Brain Research*, Vol 207, ISSN 0079-6123, <http://dx.doi.org/10.1016/B978-0-444-63327-9.00012-6>

Vaphiades, M.S., Celesia, G.G., Brigell, M.G. (1996). Positive spontaneous visual phenomena limited to the hemianopic field in lesions of central visual pathways, *Neurology*, 47(2), 408-417.

Warren, M. (1990). Identification of visual scanning deficits in adults after cerebrovascular accident. *American Journal of Occupational Therapy*, 44, 391-399.

Warren, M., Moore, J.M., Vogtle, L. (2008). Search performance in healthy adults on cancellation tests. *American Journal of Occupational Therapy*, 62, 588-594.

Zebhauser. P.T., Vernet, M., Unterburger, E., Brem, A.K.(2019). Visuospatial neglect - a theory-informed overview of current and emerging strategies and a systematic review on the therapeutic use of non-invasive brain stimulation. *Neuropsychological Review*, 29(4), 397-420. doi:10.1007/s11065-019-09417-4

Zhang, X., Kadar, S., Lynn, M.J., Newman, N.J. & Biousse, V. (2006). Natural history of homonymous hemianopia. *Neurology*, 66, 901-905

Zihl, J. (2011). *Rehabilitation of visual disorders after brain injury*. (2nd ed.) East Sussex, UK: Psychology Press